


Laminati Mercantili



PIATTI


In qualità: S275 - S355 – C40 – C45



dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m
larghezza-spessore				larghezza-spessore				larghezza-spessore				larghezza-spessore			
mm		mm		mm		mm		mm		mm		mm		mm	
10	x	3	0,235	15	x	5	0,589	18	x	10	1,410	22	x	12	2,07
10	x	4	0,314	15	x	6	0,706	20	x	3	0,471	22	x	15	2,59
10	x	5	0,392	15	x	8	0,942	20	x	4	0,628	25	x	3	0,589
10	x	6	0,471	15	x	10	1,17	20	x	5	0,785	25	x	4	0,785
12	x	3	0,283	16	x	3	0,377	20	x	6	0,942	25	x	5	0,981
12	x	4	0,377	16	x	4	0,502	20	x	8	1,260	25	x	6	1,18
12	x	5	0,471	16	x	5	0,628	20	x	10	1,570	25	x	8	1,57
12	x	6	0,565	16	x	6	0,754	20	x	12	1,880	25	x	10	1,95
14	x	3	0,330	16	x	8	1,00	20	x	15	2,360	25	x	12	2,36
14	x	4	0,440	16	x	10	1,26	22	x	3	0,518	25	x	15	2,94
14	x	5	0,550	18	x	3	0,424	22	x	4	0,691	30	x	3	0,706
14	x	6	0,659	18	x	4	0,565	22	x	5	0,864	30	x	4	0,942
14	x	8	0,879	18	x	5	0,706	22	x	6	1,040	30	x	5	1,18
15	x	3	0,353	18	x	6	0,848	22	x	8	1,38	30	x	6	1,41
15	x	4	0,471	18	x	8	1,130	22	x	10	1,73	30	x	8	1,88

PIATTI


In qualità: S275 - S355 – C40 – C45



dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m
larghezza-spessore				larghezza-spessore				larghezza-spessore				larghezza-spessore			
mm		mm		mm		mm		mm		mm		mm		mm	
30	x	10	2,36	40	x	8	2,51	50	x	3	1,177	60	x	12	5,65
30	x	12	2,83	40	x	10	3,14	50	x	4	1,57	60	x	15	7,06
30	x	15	3,53	40	x	12	3,77	50	x	5	1,96	60	x	20	9,42
30	x	20	4,71	40	x	15	4,71	50	x	6	2,36	60	x	25	11,8
35	x	3	0,824	40	x	20	6,28	50	x	8	3,14	60	x	30	14,1
35	x	4	1,10	40	x	25	7,85	50	x	10	3,92	60	x	35	16,485
35	x	5	1,37	40	x	30	9,42	50	x	12	4,71	60	x	40	18,8
35	x	6	1,65	45	x	3	1,059	50	x	15	5,89	60	x	50	23,6
35	x	8	2,20	45	x	4	1,41	50	x	20	7,85	70	x	3	1,648
35	x	10	2,75	45	x	5	1,77	50	x	25	9,81	70	x	4	2,20
35	x	12	3,30	45	x	6	2,12	50	x	30	11,8	70	x	5	2,75
35	x	15	4,12	45	x	8	2,83	50	x	40	15,7	70	x	6	3,30
35	x	20	5,50	45	x	10	3,53	60	x	3	1,413	70	x	8	4,40
35	x	25	6,87	45	x	12	4,24	60	x	4	1,88	70	x	10	5,50
40	x	3	0,942	45	x	15	5,30	60	x	5	2,36	70	x	12	6,59
40	x	4	1,26	45	x	20	7,09	60	x	6	2,83	70	x	15	8,24
40	x	5	1,57	45	x	25	8,83	60	x	8	3,77	70	x	20	11,0
40	x	6	1,88	45	x	30	10,6	60	x	10	4,71	70	x	25	13,7

PIATTI


In qualità: S275 - S355 – C40 – C45



dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m
larghezza-spessore				larghezza-spessore				larghezza-spessore				larghezza-spessore			
mm		mm		mm		mm		mm		mm		mm		mm	
70	x	30	16,5	80	x	40	25,1	90	x	60	42,4	110	x	5	4,32
70	x	35	19,233	80	x	50	31,4	100	x	3	2,355	110	x	6	5,18
70	x	40	22,0	80	x	60	37,7	100	x	4	3,14	110	x	8	6,91
70	x	50	27,5	90	x	3	2,119	100	x	5	3,92	110	x	10	8,64
70	x	60	33,0	90	x	4	2,83	100	x	6	4,71	110	x	12	10,4
80	x	3	1,884	90	x	5	3,53	100	x	8	6,28	110	x	15	13,0
80	x	4	2,51	90	x	6	4,24	100	x	10	7,85	110	x	20	17,3
80	x	5	3,14	90	x	8	5,65	100	x	12	9,42	110	x	25	21,6
80	x	6	3,77	90	x	10	7,06	100	x	15	11,8	110	x	30	25,9
80	x	8	5,02	90	x	12	8,48	100	x	20	15,7	110	x	35	30,222
80	x	10	6,28	90	x	15	10,6	100	x	25	19,6	110	x	40	34,5
80	x	12	7,54	90	x	20	14,1	100	x	30	23,6	110	x	50	43,2
80	x	15	9,42	90	x	25	17,7	100	x	35	27,475	110	x	60	51,8
80	x	20	12,6	90	x	30	21,2	100	x	40	31,4	120	x	4	3,77
80	x	25	15,7	90	x	35	24,728	100	x	50	39,2	120	x	5	4,71
80	x	30	18,8	90	x	40	28,3	100	x	60	47,1	120	x	6	5,65
80	x	35	21,980	90	x	50	35,3	110	x	4	3,45	120	x	8	7,54

PIATTI


In qualità: S275 - S355 – C40 – C45



dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m
larghezza-spessore				larghezza-spessore				larghezza-spessore				larghezza-spes- sore			
mm		mm		mm		mm		mm		mm			mm	mm	
120	x	10	9,42	130	x	15	15,3	140	x	20	22,0	150	x	25	29,4
120	x	12	11,3	130	x	20	20,4	140	x	25	27,5	150	x	30	35,3
120	x	15	14,1	130	x	25	25,5	140	x	30	33,0	150	x	35	41,213
120	x	20	18,8	130	x	30	30,6	140	x	35	38,466	150	x	40	47,1
120	x	25	23,6	130	x	35	35,718	140	x	40	44,0	150	x	50	58,9
120	x	30	28,3	130	x	40	40,8	140	x	50	55,0	150	x	60	70,6
120	x	35	32,970	130	x	50	51,0	140	x	60	65,9	-	-	-	-
120	x	40	37,7	130	x	60	61,2	150	x	3	3,532	-	-	-	-
120	x	50	47,1	140	x	3	3,297	150	x	4	4,71	-	-	-	-
120	x	60	56,5	140	x	4	4,40	150	x	5	5,89	-	-	-	-
130	x	4	4,08	140	x	5	5,50	150	x	6	7,06	-	-	-	-
130	x	5	5,10	140	x	6	6,59	150	x	8	9,42	-	-	-	-
130	x	6	6,12	140	x	8	8,79	150	x	10	11,8	-	-	-	-
130	x	8	8,16	140	x	10	11,0	150	x	12	14,1	-	-	-	-
130	x	10	10,2	140	x	12	13,2	150	x	15	17,7	-	-	-	-
130	x	12	12,2	140	x	15	16,5	150	x	20	23,6	-	-	-	-

LARGHI PIATTI


In qualità: S275 - S355 – C40 – C45



dimensioni				dimensioni				dimensioni				dimensioni			
larghezza-spessore			peso	larghezza-spessore			peso	larghezza-spessore			peso	larghezza-spessore			peso
mm	x	mm	Kg/m	mm	x	mm	Kg/m	mm	x	mm	Kg/m	mm	x	mm	Kg/m
160	x	5	6,28	180	x	6	8,48	200	x	12	18,8	240	x	50	94,20
160	x	6	7,54	180	x	8	11,3	200	x	15	23,6	250	x	6	11,775
160	x	8	10,0	180	x	10	14,1	200	x	20	31,4	250	x	8	15,8
160	x	10	12,6	180	x	12	17,0	200	x	25	39,2	250	x	10	19,6
160	x	12	15,1	180	x	15	21,2	200	x	30	47,1	250	x	12	23,6
160	x	15	18,8	180	x	20	28,3	200	x	40	62,80	250	x	15	29,4
160	x	20	25,1	180	x	25	35,3	200	x	50	78,50	250	x	20	39,2
160	x	25	31,4	180	x	30	42,4	200	x	60	94,20	250	x	25	49,1
160	x	30	37,7	180	x	40	56,50	220	x	6	10,36	250	x	30	58,9
160	x	40	50,20	180	x	50	70,70	220	x	8	13,8	250	x	35	68,7
160	x	50	62,80	180	x	60	84,80	220	x	10	17,3	250	x	40	78,5
160	x	60	75,40	190	x	8	11,9	220	x	12	20,7	250	x	50	98,125
170	x	5	6,67	190	x	10	14,9	220	x	15	25,9	260	x	15	30,61
170	x	6	8,01	190	x	12	17,9	220	x	20	34,5	260	x	20	40,82
170	x	8	10,7	190	x	15	22,4	220	x	25	43,2	280	x	8	17,6
170	x	10	13,3	190	x	20	29,8	220	x	30	51,8	280	x	10	22,0
170	x	12	16,0	190	x	25	37,3	220	x	35	60,4	280	x	12	26,4
170	x	15	20,0	190	x	30	44,7	220	x	40	69,1	280	x	15	33,0
170	x	20	26,7	200	x	5	7,85	220	x	50	86,4	280	x	20	44,0
170	x	25	33,4	200	x	6	9,42	240	x	10	18,84	280	x	25	55,0
170	x	30	40,3	200	x	8	12,6	240	x	15	28,26	280	x	30	65,9
180	x	5	7,07	200	x	10	15,7	240	x	20	37,68	280	x	35	76,9

LARGHI PIATTI


In qualità: S275 - S355 – C40 – C45



dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m	dimensioni			peso Kg/m
larghezza-spessore				larghezza-spessore				larghezza-spessore				larghezza-spessore			
mm		mm		mm		mm		mm		mm		mm		mm	
280	x	40	87,9	350	x	15	40,95	400	x	35	106,08	500	x	5	19,5
300	x	6	14,13	350	x	20	54,60	400	x	40	124,80	500	x	6	23,40
300	x	8	18,8	350	x	25	68,25	400	x	50	156,00	500	x	8	31,20
300	x	10	23,6	350	x	30	81,90	400	x	60	187,20	500	x	10	39,00
300	x	12	28,3	350	x	35	95,55	450	x	5	17,55	500	x	12	46,80
300	x	15	35,3	350	x	40	109,20	450	x	6	21,06	500	x	15	58,50
300	x	20	47,1	350	x	50	134,50	450	x	8	28,08	500	x	20	78,00
300	x	25	58,9	350	x	60	163,80	450	x	10	35,10	500	x	25	97,50
300	x	30	70,6	400	x	5	15,60	450	x	12	42,12	500	x	30	117,00
300	x	35	82,4	400	x	6	18,72	450	x	15	52,65	500	x	35	136,50
300	x	40	94,2	400	x	8	24,96	450	x	20	70,20	500	x	40	156,00
300	x	50	117,75	400	x	10	31,20	450	x	25	87,75	500	x	50	195,00
350	x	5	13,65	400	x	12	37,44	450	x	30	105,30	500	x	60	234,00
350	x	6	16,38	400	x	15	46,80	450	x	35	122,85	-	-	-	-
350	x	8	21,84	400	x	20	62,40	450	x	40	140,00	-	-	-	-
350	x	10	27,30	400	x	25	78,00	450	x	50	175,50	-	-	-	-
350	x	12	32,76	400	x	30	93,60	450	x	60	210,60	-	-	-	-

TONDI


In qualità: S275 - S355 – C40 – C45



Ø	Peso	Sezione	Ø	Peso	Sezione	Ø	Peso	Sezione
mm.	Kg/ml.	cm²	mm.	Kg/ml.	cm²	mm.	Kg/ml.	cm²
6	0,22	0,28	25	3,85	4,91	48	14,21	18,10
7	0,30	0,38	26	4,17	5,31	50	15,41	19,64
8	0,39	0,50	27	4,49	5,73	52	16,67	21,24
9	0,50	0,64	28	4,83	6,16	53	17,32	22,06
10	0,62	0,79	29	5,18	6,61	55	18,65	23,76
11	0,75	0,95	30	5,55	7,07	58	20,74	26,42
12	0,89	1,13	31	5,93	7,55	60	22,20	28,27
13	1,04	1,33	32	6,31	8,04	62	23,70	30,19
14	1,21	1,54	33	6,71	8,55	63	24,47	31,17
15	1,39	1,77	34	7,13	9,08	65	26,05	33,18
16	1,58	2,01	35	7,55	9,62	68	28,51	36,32
17	1,78	2,27	36	7,99	10,18	70	30,21	38,48
18	2,00	2,54	37	8,44	10,75	72	31,96	40,72
19	2,23	2,84	38	8,90	11,34	73	32,85	41,85
20	2,46	3,14	39	9,38	11,95	75	34,67	44,18
21	2,72	3,46	40	9,86	12,57	78	37,51	47,78
22	2,98	3,80	42	10,88	13,65	80	39,56	50,27
23	3,26	4,15	44	11,94	15,21	82	41,46	52,81
24	3,55	4,52	45	12,48	15,90	83	42,47	54,10

TONDI

In qualità: S275 - S355 – C40 – C45



Ø	Peso	Sezione	Ø	Peso	Sezione	Ø	Peso	Sezione
mm.	Kg/ml.	cm²	mm.	Kg/ml.	cm²	mm.	Kg/ml.	cm²
85	44,55	56,74	160	157,83	201,06	260	416,78	530,98
88	47,74	60,82	165	167,85	213,83	270	449,46	572,36
90	49,94	63,62	170	178,18	226,98	280	483,37	615,72
92	52,18	66,48	175	188,81	240,53	290	518,51	660,52
93	53,32	67,92	180	199,76	254,47	300	554,88	706,86
95	55,64	70,88	185	211,01	268,80	325	647,16	829,68
98	59,21	75,43	190	222,57	283,53	350	750,55	962,23
100	61,65	78,54	195	234,44	298,65	375	862,60	1104,60
105	67,97	86,59	200	246,61	314,16	400	980,31	1256,60
110	74,60	95,03	205	259,10	330,06	425	1106,67	1418,80
115	81,54	103,87	210	271,89	346,36	450	1241,70	1590,63
120	88,78	113,10	215	285,00	363,05	475	1382,40	1773,28
125	96,33	122,72	220	298,40	380,13	500	1531,70	1963,75
130	104,20	132,73	225	312,12	397,61	-	-	-
135	112,36	143,14	230	326,15	415,48	-	-	-
140	120,84	153,04	235	340,48	433,74	-	-	-
145	129,63	165,13	240	355,13	452,39	-	-	-
150	138,72	176,72	245	370,08	471,44	-	-	-
155	148,12	188,69	250	385,34	490,87	-	-	-

QUADRO

In qualità: S275 - S355 – C40 – C45



Designazione lato	peso	Designazione lato	peso
mm	Kg/m.	mm	Kg/m.
5	0,196	30	7,07
6	0,283	32	8,04
7	0,385	35	9,62
8	0,502	38	11,3
9	0,636	40	12,6
10	0,785	45	15,9
11	0,950	50	19,6
12	1,13	55	23,7
13	1,33	60	28,3
14	1,54	65	33,2
15	1,77	70	38,5
16	2,01	80	50,2
18	2,54	90	63,6
19	2,83	100	78,5
20	3,14	110	95,0
22	3,80	120	113
25	4,91	130	133
26	5,31	140	154
28	6,15	150	177

LAMINATO ANGOLARE

Spigoli tondi in qualità: S275 - S355



Dimensioni mm					Peso Kg/ml	Dimensioni mm					Peso Kg/ml	Dimensioni mm					Peso Kg/ml
15	x	15	x	3	0,64	50	x	50	x	4	3,06	80	x	80	x	6	7,34
20	x	20	x	3	0,88				x	5	3,77				x	7	8,49
			x	4	1,14				x	6	4,47				x	8	9,63
25	x	25	x	3	1,12				x	7	5,15				x	10	11,90
			x	4	1,46				x	8	5,82				x	12	14,00
			x	5	1,78	55	x	55	x	5	4,18	90	x	90	x	6	8,30
30	x	30	x	3	1,36				x	6	4,95				x	8	10,90
			x	4	1,78	60	x	60	x	5	4,57				x	9	12,20
			x	5	2,18				x	6	5,42				x	10	13,40
			x	6	2,56				x	8	7,09	100	x	100	x	6	9,26
35	x	35	x	3	1,60				x	10	8,69				x	8	12,20
			x	4	2,09	65	x	65	x	5	4,97				x	9	13,60
			x	5	2,57				x	6	5,91				x	10	15,00
			x	6	3,04				x	7	6,83				x	12	17,80
40	x	40	x	3	1,84				x	9	8,62				x	14	20,60
			x	4	2,42	70	x	70	x	6	6,38				x	15	21,90
			x	5	2,97				x	7	7,38				x	16	23,20
			x	6	3,52				x	8	8,36	110	x	110	x	10	16,60
45	x	45	x	4	2,74				x	9	9,34				x	12	19,70
			x	5	3,38				x	10	10,30				x	14	22,80
			x	6	4,00	-	-	-	-	-	-	-	-	-	-	-	-

LAMINATO ANGOLARE

Spigoli tondi



Dimensioni mm					Peso Kg/ml	Dimensioni mm					Peso Kg/ml	Dimensioni mm					Peso Kg/ml
120	x	120	x	8	14,7	150	x	150	x	10	23,0	200	x	200	x	14	42,9
			x	10	18,2				x	12	27,3				x	15	45,8
			x	12	21,6				x	14	31,6				x	16	48,5
			x	13	23,3				x	15	33,8				x	18	54,3
			x	15	26,6				x	16	35,9				x	20	59,9
130	x	130	x	10	19,8				x	18	40,1	-	-	-	-	-	-
			x	12	23,6	160	x	160	x	15	36,2	-	-	-	-	-	-
			x	14	27,2				x	17	40,7	-	-	-	-	-	-
			x	16	30,9				x	19	45,1	-	-	-	-	-	-
140	x	140	x	10	21,7	180	x	180	x	14	38,4	-	-	-	-	-	-
			x	12	25,6				x	15	41,0	-	-	-	-	-	-
			x	13	27,5				x	16	43,5	-	-	-	-	-	-
			x	14	29,5				x	18	48,6	-	-	-	-	-	-
			x	15	31,4				x	20	53,7	-	-	-	-	-	-

LAMINATO ELLE

Spigoli tondi in qualità: S275 - S355



Dimensioni mm					Peso Kg/ml	Dimensioni mm					Peso Kg/ml	Dimensioni mm					Peso Kg/ml
20	x	12	x	4	0,87	30	x	17,5	x	5	1,67	40	x	22	x	6	2,67
25	x	15	x	4,5	1,25	35	x	20	x	5,5	2,14	50	x	30	x	6	3,50

LAMINATO ELLE


Spigoli tondi in qualità: S275 - S355



Designazione mm.					Peso Kg/ml	Designazione mm.					Peso Kg/ml	Designazione mm.					Peso Kg/ml
30	x	20	x	4	1,46	80	x	40	x	6	5,41	130	x	65	x	8	11,80
			x	5	1,78				x	7	6,25				x	10	14,60
35	x	20	x	4	1,61				x	8	7,07				x	12	17,30
			x	5	1,97	80	x	60	x	6	6,37	150	x	90	x	10	18,20
40	x	20	x	4	1,77				x	7	7,36				x	12	21,60
			x	5	2,17				x	8	8,34				x	15	26,60
40	x	25	x	4	1,93				x	10	10,20	150	x	100	x	10	19,30
			x	5	2,37	100	x	50	x	8	8,99				x	12	22,60
45	x	30	x	4	2,25				x	10	11,10				x	14	26,10
			x	5	2,76	100	x	65	x	7	8,77	200	x	100	x	10	23,00
			x	6	3,27				x	9	11,10				x	12	27,30
50	x	30	x	5	2,96				x	10	12,30				x	15	33,70
			x	6	3,51				x	11	13,40				x	19	42,00
60	x	30	x	5	3,37	110	x	75	x	8	11,12	200	x	15	x	10	26,90
			x	6	3,99				x	10	13,73				x	12	32,00
			x	7	4,59	120	x	60	x	8	10,90				x	15	39,60
60	x	40	x	5	3,76				x	10	13,40				x	18	47,10
			x	6	4,46	120	x	80	x	8	12,20	-	-	-	-	-	-
			x	7	5,14				x	10	15,00	-	-	-	-	-	-
75	x	50	x	6	5,65				x	12	17,80	-	-	-	-	-	-
			x	7	6,53				x	14	20,50	-	-	-	-	-	-
			x	9	8,22	-	-	-	-	-	-	-	-	-	-	-	-

FERRO A "T"


Spigoli vivi - UNI 5681 / in qualità: S275 - S355



A mm	x	B mm	x	S mm	Peso Kg/m	A mm	x	B mm	x	S mm	Peso Kg/m
20	x	20	x	4	1,13	45	x	45	x	6,5	4,26
25	x	25	x	4,5	1,61	50	x	50	x	6	4,43
30	x	30	x	4	1,76	50	x	50	x	7	5,11
30	x	30	x	5	2,16	60	x	60	x	8	7,03
35	x	35	x	4,5	2,31	70	x	70	x	9	9,26
35	x	35	x	5,5	2,78	80	x	80	x	10	11,80
40	x	40	x	5	2,94	-	-	-	-	-	-
40	x	40	x	6	3,49	-	-	-	-	-	-
45	x	45	x	5,5	3,60	-	-	-	-	-	-

FERRO A "T"

Spigoli tondi - UNI 5785 / in qualità: S275 - S355



A mm	x	B mm	x	S mm	Peso Kg/m	A mm	x	B mm	x	S mm	Peso Kg/m
60	x	60	x	7	6,23	90	x	90	x	10	13,40
70	x	70	x	8	8,32	100	x	100	x	11	16,40
80	x	80	x	9	10,70	120	x	120	x	13	23,20